

檢驗報告

報告編號： UB/2009/80084

日期： 2009年8月18日 頁數： 1 of 4



奇圃股份有限公司

臺北市中山區南京東路2段172號5樓

以下測試之樣品係由供應廠商所提供及確認：

產品名稱： 奇圃活力素細胞營養素(男女適用)
申請廠商： 奇圃股份有限公司
生產或供應廠商： 奇圃股份有限公司
送樣日期： 2009年08月10日
測試日期： 2009年08月11日

委託測試項目： 1.112項常見西藥成份定性分析
2.壯陽藥定性分析

測試方法： 1.本測試參考行政院衛生署藥物食品檢驗局調查研究年報. 23：136-148 2005，以及Journal of Pharmaceutical and Biomedical Analysis Volume 40, Issue 2, 13 February 2006, Pages 305-311，以液相層析質譜儀(LC/MS)檢測。
2.本測試參考Journal of Pharmaceutical and Biomedical Analysis Volume 40, Issue 2, 13 February 2006, Pages 305-311，以及4.5. E.D. Drugs and Analogs, Samuel R. Gratz, Ph.D, Food and Drug Administration，以液相層析串聯質譜儀(LC/MS/MS)檢測。

測試結果： 此份樣品共檢測112項常見西藥成份及壯陽藥，均未檢出。

- 請見下頁 -

Signed for and on behalf of
SGS Taiwan Ltd.

Yuan-Min Wen
Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

檢驗報告

報告編號： UB/2009/80084

日期： 2009年8月18日 頁數： 2 of 4



奇圃股份有限公司

臺北市中山區南京東路2段172號5樓

測試結果：

測試項目	測試結果	檢測極限	單位	測試項目	測試結果	檢測極限	單位
心臟血管類用藥	---	---	---	Sulfaguinoxaline (SQX)	N.D.	100	ppm(mg/kg)
Atenolol	N.D.	200	ppm(mg/kg)	Sulfamerazine	N.D.	200	ppm(mg/kg)
支氣管擴張劑	---	---	---	Sulfamethazine	N.D.	400	ppm(mg/kg)
Clenbuterol-HCl	N.D.	200	ppm(mg/kg)	Sulfamethizole	N.D.	200	ppm(mg/kg)
Dyphylline	N.D.	200	ppm(mg/kg)	Sulfamethoxazole	N.D.	400	ppm(mg/kg)
肌肉鬆弛劑	---	---	---	Sulfamethoxyypyridazine (SMXD)	N.D.	200	ppm(mg/kg)
Chlorzoxazone	N.D.	400	ppm(mg/kg)	Sulfamonomethoxine (SMM)	N.D.	200	ppm(mg/kg)
利尿劑	---	---	---	Sulfathiazole (STZ)	N.D.	200	ppm(mg/kg)
Furosemide	N.D.	40	ppm(mg/kg)	Sulfisomidine	N.D.	200	ppm(mg/kg)
Hydrochlorothiazide	N.D.	200	ppm(mg/kg)	Sulfisoxazole	N.D.	200	ppm(mg/kg)
Chlorothiazide	N.D.	200	ppm(mg/kg)	Tetracycline HCl	N.D.	400	ppm(mg/kg)
局部麻醉類	---	---	---	Trimethoprim	N.D.	200	ppm(mg/kg)
Benzocaine	N.D.	200	ppm(mg/kg)	Griseofulvin	N.D.	200	ppm(mg/kg)
Tetracaine HCl	N.D.	200	ppm(mg/kg)	抗組織胺類	---	---	---
抗生素類	---	---	---	Cetirizine 2HCl	N.D.	200	ppm(mg/kg)
Amikacin	N.D.	1000	ppm(mg/kg)	Chlorpheniramine maleate	N.D.	200	ppm(mg/kg)
Benzathine-benzylpenicillin	N.D.	200	ppm(mg/kg)	Cyproheptadine HCl	N.D.	40	ppm(mg/kg)
Chlortetracycline HCl	N.D.	400	ppm(mg/kg)	Cinnarizine	N.D.	200	ppm(mg/kg)
Ciprofloxacin (CFA)	N.D.	20	ppm(mg/kg)	降血脂用藥	---	---	---
Clindamycin phosphate	N.D.	100	ppm(mg/kg)	Bezafibrate	N.D.	40	ppm(mg/kg)
Cloxacillin Sodium	N.D.	200	ppm(mg/kg)	Gemfibrozil	N.D.	200	ppm(mg/kg)
Difloxacin-HCl	N.D.	200	ppm(mg/kg)	降眼壓劑	---	---	---
Dimetridazole	N.D.	200	ppm(mg/kg)	Timolol Maleate	N.D.	200	ppm(mg/kg)
Enrofloxacin	N.D.	100	ppm(mg/kg)	神經興奮劑類	---	---	---
Lincomycin HCl	N.D.	200	ppm(mg/kg)	Theophylline	N.D.	400	ppm(mg/kg)
Lomefloxacin	N.D.	200	ppm(mg/kg)	痛風治療用藥	---	---	---
Minocycline HCl	N.D.	200	ppm(mg/kg)	Sulfipyrazone	N.D.	100	ppm(mg/kg)
Nalidixic acid (NAA)	N.D.	200	ppm(mg/kg)	Probenecid	N.D.	200	ppm(mg/kg)
Norfloxacin	N.D.	200	ppm(mg/kg)	腸胃類用藥	---	---	---
Ofloxacin	N.D.	200	ppm(mg/kg)	Bisacodyl	N.D.	40	ppm(mg/kg)
OTC	N.D.	2000	ppm(mg/kg)	Cimetidine	N.D.	200	ppm(mg/kg)
Oxolinic acid	N.D.	200	ppm(mg/kg)	解熱止痛劑	---	---	---
Oxybutynin	N.D.	40	ppm(mg/kg)	Acetaminophen	N.D.	400	ppm(mg/kg)
Sulfadiazine (SDZ)	N.D.	200	ppm(mg/kg)	Acetophenetidin	N.D.	40	ppm(mg/kg)
Sulfadimethoxine	N.D.	200	ppm(mg/kg)	Bucetin	N.D.	40	ppm(mg/kg)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

檢驗報告

報告編號： UB/2009/80084

日期： 2009年8月18日 頁數： 3 of 4



奇圃股份有限公司

臺北市中山區南京東路2段172號5樓

測試項目	測試結果	檢測極限	單位	測試項目	測試結果	檢測極限	單位
Diclofenac sodium salt	N.D.	200	ppm(mg/kg)	糖尿病用藥	---	---	---
Ethoxybenzamide	N.D.	200	ppm(mg/kg)	Gliclazide	N.D.	40	ppm(mg/kg)
Fenbufen	N.D.	200	ppm(mg/kg)	Metformin	N.D.	200	ppm(mg/kg)
Flufenamic acid	N.D.	40	ppm(mg/kg)	Chlorpropamide	N.D.	200	ppm(mg/kg)
Flurbiprofen	N.D.	200	ppm(mg/kg)	Tolazamide	N.D.	200	ppm(mg/kg)
Ibuprofen	N.D.	200	ppm(mg/kg)	Tolbutamide	N.D.	200	ppm(mg/kg)
Indomethacin	N.D.	200	ppm(mg/kg)	鎮咳祛痰劑	---	---	---
Ketoprofen	N.D.	200	ppm(mg/kg)	Ambroxol HCl	N.D.	400	ppm(mg/kg)
Mefenamic	N.D.	40	ppm(mg/kg)	Bromhexine HCl	N.D.	200	ppm(mg/kg)
Naproxen	N.D.	100	ppm(mg/kg)	Dextromethorphan HCl	N.D.	200	ppm(mg/kg)
Oxyphenbutazone	N.D.	200	ppm(mg/kg)	Eprazinone HCl	N.D.	200	ppm(mg/kg)
Phenylbutazone	N.D.	200	ppm(mg/kg)	Guaifenesin	N.D.	200	ppm(mg/kg)
Piroxicam	N.D.	40	ppm(mg/kg)	Cloperastine HCl	N.D.	200	ppm(mg/kg)
Salicylamide	N.D.	400	ppm(mg/kg)	Papaverine HCl	N.D.	200	ppm(mg/kg)
Sulindac	N.D.	200	ppm(mg/kg)	類固醇類	---	---	---
Benzydamine HCl	N.D.	200	ppm(mg/kg)	Betamethasone	N.D.	200	ppm(mg/kg)
Bufexamac	N.D.	200	ppm(mg/kg)	Dexamethasone	N.D.	200	ppm(mg/kg)
Niflumic acid	N.D.	200	ppm(mg/kg)	Methylprednisolone	N.D.	200	ppm(mg/kg)
Phenacetin	N.D.	200	ppm(mg/kg)	Prednisolone	N.D.	200	ppm(mg/kg)
精神安定類	---	---	---	Triamcinolone	N.D.	200	ppm(mg/kg)
Amp	N.D.	200	ppm(mg/kg)	荷爾蒙類	---	---	---
Chlormezanone	N.D.	400	ppm(mg/kg)	Progesterone	N.D.	200	ppm(mg/kg)
Chlorpromazine HCl	N.D.	100	ppm(mg/kg)	其他	---	---	---
Cocaine	N.D.	200	ppm(mg/kg)	4-dimethylamino HCl	N.D.	200	ppm(mg/kg)
Ermine	N.D.	200	ppm(mg/kg)	O-phenylphenol	N.D.	600	ppm(mg/kg)
Fluoxetine HCl	N.D.	100	ppm(mg/kg)	Santonin	N.D.	200	ppm(mg/kg)
FM2	N.D.	200	ppm(mg/kg)	壯陽藥	---	---	---
Haloperidol	N.D.	100	ppm(mg/kg)	Levitra(Vardenafil monohydrochloride trihydrate)	N.D.	10.0	ppm(mg/kg)
Heroin	N.D.	200	ppm(mg/kg)	Cialis(tadalafil)	N.D.	10.0	ppm(mg/kg)
MDMA	N.D.	200	ppm(mg/kg)	Viagra(Sildenafil citrate)	N.D.	10.0	ppm(mg/kg)
Methamp	N.D.	200	ppm(mg/kg)	Yohimbine	N.D.	10.0	ppm(mg/kg)
Quetiapine	N.D.	40	ppm(mg/kg)	Homosildenafil	N.D.	10.0	ppm(mg/kg)
Sulpiride	N.D.	200	ppm(mg/kg)	Hydroxyhomosildenafil	N.D.	10.0	ppm(mg/kg)
THC	N.D.	200	ppm(mg/kg)	Acetildenafil	N.D.	10.0	ppm(mg/kg)
Primidone	N.D.	200	ppm(mg/kg)				

備註：1. 本報告不得分離，分離使用無效。

-以下空白-

2. 低於方法偵測極限之測定值以 " N.D. " 表示。

- END -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

檢驗報告

報告編號： UB/2009/80084

日期： 2009年8月18日 頁數： 4 of 4



奇圃股份有限公司

臺北市中山區南京東路2段172號5樓

樣品照片



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.